



(12) **EUROPEAN PATENT APPLICATION**

(21) Application number: **95105733.0**

(51) Int. Cl.<sup>6</sup>: **G06F 1/00, G06F 12/14**

(22) Date of filing: **18.04.95**

(30) Priority: **25.04.94 US 235032**

(43) Date of publication of application:  
**02.11.95 Bulletin 95/44**

(84) Designated Contracting States:  
**DE FR GB**

(71) Applicant: **International Business Machines Corporation**  
**Old Orchard Road**  
**Armonk, N.Y. 10504 (US)**


(72) Inventor: **Cooper, Thomas Edward**  
**858 West Willow Street**  
**Louisville,**  
**Colorado 80027 (US)**  
Inventor: **Philips, Hudson Wayne**  
**4725 Jameston Street**  
**Boulder,**  
**Colorado 80301 (US)**  
Inventor: **Pryor, Robert Franklin**  
**7380 Mt. Meeker Road**  
**Longmont,**  
**Colorado 80503 (US)**

(74) Representative: **Schäfer, Wolfgang, Dipl.-Ing.**  
**IBM Deutschland**  
**Informationssysteme GmbH**  
**Patentwesen und Urheberrecht**  
**D-70548 Stuttgart (DE)**

(54) **Method and apparatus enabling software trial with computer-dependent identification.**

(57) A method and apparatus is provided for distributing a software object from a source to a user. A software object is encrypted with an encryption operation utilizing a long-lived encryption key. It is directed from the source to the user. It is loaded onto a user-controlled data processing system having a particular configuration. A numerical machine identification is derived based at least in part upon the particular data processing system configuration of the user-controlled data processing system. A temporary key is derived which is based at least in part upon the numerical machine identification and the long-lived encryption key. The long-lived key generator is provided for receiving the temporary key and producing the long-lived encryption key. The user is allowed to utilize the temporary key for a prescribed interval to generate the long-lived encryption key.

tion key to access the software object.



VALIDATION OF PRODUCT KEY  
 FIG. 15











































































































